

Response Dated: February 18, 2005  
Response to Office Action of November 18, 2004

Application No. 10/056,674

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims**

1. (Original) A method of grouping and displaying a plurality of icons that can be selected by a user from a display on a first mobile terminal, the method comprising:

- (a) receiving a plurality of messages from message sources;
- (b) sorting the plurality of messages into a set of groups in accordance with one or more characteristics associated with each of the plurality of messages and a first context category;
- (c) sorting the messages within each of the groups in accordance with one or more characteristics associated with each of the plurality of messages and a second context category;
- (d) associating an icon with each of the plurality of messages; and
- (e) representing the icons on the display in accordance with the sorting performed in (b) and (c).

2. (Original) The method of claim 1, wherein the first context category comprises distances between the message sources and the first mobile terminal.

3. (Original) The method of claim 1, wherein the second context category comprises distances between the message sources and the first mobile terminal.

4. (Original) The method of claim 1, wherein (e) comprises:  
representing the groups in distinct sections of the display; and  
wherein sizes of each of the icons within each group correspond to the sorting performed in (c).

Response Dated: February 18, 2005  
Response to Office Action of November 18, 2004

Application No. 10/056,674

5. (Original) The method of claim 4, wherein (e) further comprises:  
  
representing in each group an icon that corresponds to a message having one or more characteristics that best match the second context category in a format that is enlarged in relation to other icons in the group.
6. (Original) The method of claim 1, wherein (e) comprises:  
  
representing the groups in distinct sections of the display; and  
  
wherein sizes of the icons within each group are uniform.
7. (Original) The method of claim 6, wherein (e) further comprises:  
  
representing icons in a first group that corresponds to messages having one or more characteristics that best match the first context category in a format that is enlarged in relation to icons in the other groups within the set of groups.
8. (Original) The method of claim 1, wherein the first context category comprises an ordered list of tasks and each of the groups within the set of groups corresponds to one of the tasks.
9. (Original) The method of claim 8, further including:  
  
(f) deleting the representation of a group when a corresponding task is completed.
10. (Original) The method of claim 1, wherein (d) comprises extracting an icon from one of the plurality of messages.
11. (Original) The method of claim 1, wherein in (b) and (c) at least some of the characteristics are extracted from the plurality of messages.

Response Dated: February 18, 2005  
Response to Office Action of November 18, 2004

Application No. 10/056,674

12. (Original) The method of claim 1, wherein in step (b) at least one of the context categories is set by the user of the first mobile terminal.

13. (Original) The method of claim 1, wherein the icons are displayed in a navigation bar formed along at least a portion of a bottom of the display.

14. (Original) The method of claim 1, wherein the set of groups comprises two groups.

15. (Original) The method of claim 1, further including:

(f) deleting at least one of the icons after a predetermined time period.

16. (Original) The method of claim 15, wherein the icon deleted in step (f) corresponds to a message that has been time stamped with the predetermined time period.

17. (Original) The method of claim 15, wherein the predetermined time period is selected by the user.

18. (Original) The method of claim 1, wherein one of the message sources comprises a second mobile terminal.

19. (Original) The method of claim 1, wherein one of the first and second context categories comprises information exchanged between the first mobile terminal and at least one additional mobile terminal.

20. (Original) The method of claim 1, wherein one of the first and second context categories comprises voting results of votes received from the first mobile terminal and at least one additional mobile terminal.

Response Dated: February 18, 2005  
Response to Office Action of November 18, 2004

Application No. 10/056,674

21. (Original) A mobile terminal comprising:  
  
a display capable of displaying graphical icons;  
  
a user input device that permits a user of the mobile terminal to select one or more of the graphical icons displayed on the display; and  
  
a processor programmed with computer-executable instructions that, when executed cause the mobile terminal to perform the steps comprising:

- (a) receiving a plurality of messages from message sources;
- (b) sorting the plurality of messages into a set of groups in accordance with one or more characteristics associated with each of the plurality of messages and a first context category;
- (c) sorting the messages within each of the groups in accordance with one or more characteristics associated with each of the plurality of messages and a second context category;
- (d) associating an icon with each of the plurality of messages; and
- (e) representing the icons on the display in accordance with the sorting performed in (b) and (c).

22. (Original) The mobile terminal of claim 21, further comprising a context category database storing context category values.

23. (Currently Amended) A mobile terminal comprising:  
  
a receiving circuit that receives a plurality of messages containing information relating to a particular service that is potentially available to a user of the mobile terminal;  
  
a message storage area that stores the plurality of messages;

Response Dated: February 18, 2005  
Response to Office Action of November 18, 2004

Application No. 10/056,674

a display unit capable of displaying graphical icons;

a context matching function that:

(a) sorts the plurality of messages into a set of groups in accordance with one or more characteristics associated with each of the plurality of messages and a first context category;

(b) sorts the messages within each of the groups in accordance with one or more characteristics associated with each of the plurality of messages and a second context category; and

a display function that displays icons associated with the messages in a format determined by the sorting performed in (b)(a) and (c)(b).

24. (Original) The mobile terminal of claim 23, further comprising a context category database storing context category values.

25. (Original) A computer-readable medium containing computer-executable instructions for causing a mobile terminal having a display to perform the steps of:

(a) receiving a plurality of messages from message sources;

(b) sorting the plurality of messages into a set of groups in accordance with one or more characteristics associated with each of the plurality of messages and a first context category;

(c) sorting the messages within each of the groups in accordance with one or more characteristics associated with each of the plurality of messages and a second context category;

(d) associating an icon with each of the plurality of messages; and

Response Dated: February 18, 2005

Application No. 10/056,674

Response to Office Action of November 18, 2004:

(e) representing the icons on the display in accordance with the sorting performed in  
(b) and (c).